

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/789,146	02/28/2004	James E. Rubach	9245	
7.	590 06/01/2006		EXAMINER	
Richard S. Missumer			NGUYEN, SANG H	
P.O. Box 51122 New Berlin, W			ART UNIT PAPER NUMBER	
			2877	
			DATE MAILED: 06/01/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	- <del>V</del>			
	10/789,146	RUBACH, JAMES E.				
Office Action Summary	Examiner	Art Unit				
	Sang Nguyen	2877				
The MAILING DATE of this communication a Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period.  - Failure to reply within the set or extended period for reply will, by stat Any reply received by the Office later than three months after the mai earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN 1.136(a). In no event, however, may a od will apply and will expire SIX (6) MO tute, cause the application to become A	ICATION. reply be timely filed NTHS from the mailing date of this communication BANDONED (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 14	March 2006.					
<u> </u>	his action is non-final.					
·—	his application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice unde	r Ex parte Quayle, 1935 C.	D. 11, 453 O.G. 213.				
Disposition of Claims						
4) ☐ Claim(s) 1-6 and 18 is/are pending in the ap 4a) Of the above claim(s) is/are withd 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-6 and 18 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and	rawn from consideration.					
Application Papers						
9) The specification is objected to by the Exami 10) The drawing(s) filed on is/are: a) a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the	ccepted or b) objected to be drawing(s) be held in abeya ection is required if the drawin	ance. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121	(d).			
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a life.	ents have been received. ents have been received in riority documents have bee eau (PCT Rule 17.2(a)).	Application No n received in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date 5/19/04.  S. Patent and Trademark Office	Paper No	Summary (PTO-413) o(s)/Mail Date Informal Patent Application (PTO-152)				

## **DETAILED ACTION**

### Election/Restrictions

Applicant's election without traverse of Group I (claims 1-6 and 18 in the reply filed on 03/14/06 is acknowledged.

#### Oath/Declaration

The oath/declaration filed on 05/19/04 is acceptable.

## Response to Amendment

Applicant's response to amendment filed on 03/14/06 has been entered. It is noted that the application contains claims 1-6 and 18 and claims 7-17 have been canceled by the amendment on 03/14/06.

#### Information Disclosure Statement

The information disclosure statement (IDS) submitted on 5/19/04 has been entered. The submission is in compliance with the provisions of 37 CFR 1.97.

Accordingly, the information disclosure statement is being considered by the examiner.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Application/Control Number: 10/789,146

Art Unit: 2877

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Page 3


Claim 1 and 5-6 are rejected under 35 U.S.C. 102(b) as being anticipated by Bednarz et al (U.S. Patent No. 5,294,912 submitted by applicant).

**Regarding claim 1**; Bednarz et al discloses a method of detecting the position of a foot, comprising the steps of:

- (a) providing a plurality of light beams (704, 707 of figure 16 or 16 of figure 1) from a laser unit (700 of figure 16 or 17 of figure 1);
- (b) providing a plurality of light detectors (709, 710 of figure 16) by a detecting device unit (708 of figure 16 or 18 of figure 1) for sensing said plurality of light beams (704, 707 of figure 16);
- (c) enabling at least one light beam of said plurality of light beams at a time by an LED indicator and a off/on switch (25, 26 of figure 1 and col.4 lines 22-30) of the laser unit (17 of figure 1), enabling at least one light detector (18 of figure 1) corresponding to said at least one light beam (16 of figure 1);
- (d) indicating the presence or absence of each one of said plurality of light beams (704, 707 of figure 16) by the detecting device unit (18 of figure 1 or 708 of figure 16) couled to a computer (78 of figure 7); and
- (e) displaying the position of a foot (697 of figure 16) during a jump takeoff. See figures 1-18.

Application/Control Number: 10/789,146

Art Unit: 2877



Regarding claim 5; Bednarz et al discloses storing the presence or absence of each of said plurality of light beams in a memory (figures 6A, 8, 9A-9C, and 10A-10B)

Regarding claim 6; Bednarz et al discloses recalling said presence or absence of each of said plurality of light beams from said memory by a recall switch activation (34, 35,36, 37 of figure 1 and col.4 lines 34-55).

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 2-4 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bednarz et al (U.S. Patent No. 5,294,912 submitted by applicant) in view of Stroman et al (U.S. Patent No. 5,077,477).

Regarding claim 2; Bednarz et al discloses all of features of claimed invention except for collimating each one of said plurality of light beams, and collimating each one of said plurality of light detectors. However, Stroman et al teaches that it is known in the art to provide collimating each one of said plurality of light beams (30 of figure 3) by a collimating device (48 of figure 3), collimating each one of said plurality of light detectors (32 of figure 3) by collimating device (42 of figure 3). It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine method of Bednarz et al with collimating each one of said plurality of light beams, and collimating each one of said plurality of light detectors as taught by Stroman et al for the purpose of improving accuracy collimated and alignment light beams.

Regarding claim 3; Bednarz et al discloses all of features of claimed invention except for placing an aperture in front of each one of said plurality of light beams and light detectors. However, Stroman et al teaches that it is known in the art to provide placing an aperture (40, 46 of figure 3) in front of each one of said plurality of light beams (28 of figure 3) and light detectors (32 of figure 3). It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine method of Bednarz et al with placing an aperture in front of each one of said plurality of

light beams and light detectors as taught by Stroman et al for the purpose of improving accuracy collimated and alignment light beams.

Page 6

Regarding claim 4; Bednarz et al discloses all of features of claimed invention except for enabling said plurality of light beams and said plurality of light detectors sequentially. However, Stroman et al teaches that it is known in the art to provide enabling said plurality of light beams (28, 30 of figure 3) and said plurality of light detectors sequentially (23, 34 of figure 3). It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine method of Bednarz et al with enabling said plurality of light beams and said plurality of light detectors sequentially as taught by Stroman et al for the purpose of improving accuracy collimated and alignment light beams.

**Regarding claim 18**; Bednarz et al discloses a jump takeoff position indicator system, comprising of:

an infrared light beam emitting device considered to be a laser unit (700 of figure 16 or 17 of figure 1) for emitting a plurality of infrared light beams (704, 707 of figure 16);

an infrared light beam detecting device considered to be a detecting unit a detecting device unit (708 of figure 16 or 18 of figure 1) for sensing the presence of said plurality of light beams (704, 707 of figure 16);

a synchronization means for (figures 6-11) synchronizing the emission of the plurality of infrared light beams (704, 707 of figure 16) with the detection of the light beams by the infrared light beam detecting device;

Application/Control Number: 10/789,146 Page 7

Art Unit: 2877

a displaying means (figure 7) considered to be a LCD display (79 of figure 7) coupled to coupled to a computer (78 of figure 7) for indicating the presence or absence of each one of said plurality of light beams (704, 707 of figure 16);

a memory considered to be a power supply switch (67 of figure 6A) coupled to a low battery detector circuit (72 of figure 6A), LED flasher circuit (71 of figure 6A) and coupled to an auto shut-down circuit (70 of figure 6A) for storing the status of the plurality of infrared light beams (704, 707 of figure 16)at the moment of takeoff of the foot697 of figure 16); and

a recall switch (34, 35,36, 37 of figure 1 and col.4 lines 34-55) of the detecting unit (18 of figure 1) coupled to computer (78 of figure 7) for recalling and displaying the status on the display means, wherein the foot position of a foot (697 of figure 16) during a jump takeoff. See figures 1-18.

Bednarz et al discloses all of features of claimed invention except for a collimating means for collimating the emission and detection of the plurality of infrared light beams. However, Stroman et al teaches that it is known in the art to provide a collimating means (42, 48 of figure 3) for collimating the emission and detection of said plurality of infrared light beams. It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine method of Bednarz et al with means for collimating the emission and detection of the plurality of infrared light beams as taught by Stroman et al for the purpose of improving accuracy collimated and alignment light beams.

#### Conclusion

Application/Control Number: 10/789,146

Art Unit: 2877

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Verga (6782118) discloses system for measuring; Squadron et al (6167356) discloses system for measuring a jump; Tipton et al (6181647) discloses vertical jump measuring device; Holland et al (long jump training apparatus; Borchers er al (5753931) discloses object imaging device and method; Nakamura et al (5625191) discloses scintillation camera and sensor; Carlin (4774679) discloses stride evaluation system; Gordon (4168061) discloses athletes long jump pit; Erikson (4089057) discloses method and device for measuring jump-length on a ski-jump.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sang Nguyen whose telephone number is (571) 272-2425. The examiner can normally be reached on 9:30 am to 7:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley, Jr. can be reached on (571) 272-2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

May 25, 2006

Art Unit: 2877